

SRPvg 8401

Laboratory refrigerator with convection cooling
Performance



Gross/net capacity	871/702 l
Ext. dimensions in mm (w/d/h)	787/1017/2135
Int. dimensions in mm (w/d/h)	579/788/1470
Energy consumption in 365 days	195 kWh
Ambient temperature range	+10 °C to +35 °C
Heat output	350 kJ/h
Refrigerant	R 290
Noise output	60 dB(A)
Frequency / voltage	50 Hz / 220-240 V~
Cooling system	forced-air
Defrosting	automatic
Temperature range	-2 °C to +16 °C
Gradient / max. fluctuation	4.5 °C / 5.0 °C
Housing material/colour	steel / white
Door material	steel
Liner Material	Chrome-nickel steel (1.4301 / AISI 304)
Type of Control	monochrome display, touch buttons
Alarm in case of malfunction	visual and audible
Power failure alarm	when mains power return
volt-free alarm contact	yes
Connectivity type	SmartModule
Connectivity solution	retrofittable
Interface	WLAN/LAN (optional)
Interior light	LED ceiling lighting
Adjustable Shelving	4
Shelf material	wire shelves plastic-coated
Usable shelf area in mm (w / d)	570 / 788
Shelf loading	60 kg
Castors	castors with brake at the front, fixed castors at the rear
Handle	vertical recessed handle
Access ports	1 x Ø 12 mm
Type of lock	mechanical
Door hinges	right, reversible on site
Gross/net weight	165/147 kg
EAN-Nr.	9005382248973